

CO<sub>2</sub>雷射切割機

材料/瓦數	CO <sub>2</sub> 雷射切割機					
	40W	50W	60W	80W	100W	130W
1.8mm白俄椴木板	S:14 / 35%	S:15 / 35%	S:15 / 33%	S:16 / 30%	S:18 / 24%	S:60 / 30%
3mm白俄椴木板	S:11 / 35%	S:12 / 35%	S:12 / 35%	S:13 / 30%	S:15 / 30%	S:60 / 40%
5mm白俄椴木板	S:8 / 45%	S:8 / 43%	S:10 / 45%	S:10 / 35%	S:10 / 30%	S:20 / 40%
7mm白俄椴木板		S:8 / 50%	S:10 / 50%	S:10 / 40%	S:10 / 35%	S:20 / 45%
3mm楊木合板	S:15 / 35%	S:16 / 35%	S:18 / 35%	S:20 / 35%	S:20 / 35%	S:60 / 40%
4mm楊木合板	S:11 / 35%	S:12 / 35%	S:12 / 35%	S:13 / 30%	S:15 / 30%	S:60 / 40%
5mm楊木合板	S:10 / 45%	S:10 / 43%	S:12 / 45%	S:12 / 35%	S:12 / 30%	S:23 / 40%
4mm樺木合板	S:6 / 48%	S:8 / 48%	S:8 / 46%	S:10 / 40%	S:10 / 38%	S:20 / 40%
2.6mm素面合板	S:8 / 40%	S:9 / 40%	S:10 / 40%	S:12 / 40%	S:12 / 32%	S:50 / 40%
5mm素面合板				S:8 / 54%	S:8 / 48%	S:14 / 48%
9mm素面合板						S:8 / 60%
3mm胡桃合板	S:8 / 40%	S:9 / 40%	S:10 / 40%	S:12 / 40%	S:12 / 32%	S:50 / 40%
5mm胡桃合板			S:7 / 54%	S:8 / 54%	S:8 / 48%	S:14 / 48%
3mm柚木合板	S:8 / 40%	S:9 / 40%	S:10 / 40%	S:12 / 40%	S:12 / 32%	S:50 / 40%
5mm柚木合板			S:7 / 54%	S:8 / 54%	S:8 / 48%	S:14 / 48%
3mm白橡合板	S:8 / 40%	S:9 / 40%	S:10 / 40%	S:12 / 40%	S:12 / 32%	S:50 / 40%
1.2mm白楊密集板	S:10 / 40%	S:10 / 38%	S:12 / 38%	S:14 / 33%	S:14 / 26%	S:22 / 38%
2.5mm白楊密集板	S:10 / 42%	S:10 / 40%	S:12 / 40%	S:14 / 35%	S:14 / 28%	S:22 / 40%
3mm白楊密集板	S:8 / 42%	S:8 / 40%	S:10 / 40%	S:12 / 35%	S:12 / 28%	S:20 / 40%
4.75mm白楊密集板		S:8 / 55%	S:8 / 50%	S:8 / 48%	S:10 / 45%	S:15 / 45%
3mm亞洲密集板	S:8 / 42%	S:8 / 40%	S:10 / 40%	S:12 / 35%	S:12 / 28%	S:20 / 40%
3mm新松密集板	S:8 / 42%	S:8 / 40%	S:10 / 40%	S:12 / 35%	S:12 / 28%	S:20 / 40%
4.75mm新松密集板		S:8 / 55%	S:8 / 50%	S:8 / 48%	S:10 / 45%	S:15 / 45%
1.7mm木集板	S:10 / 42%	S:10 / 40%	S:12 / 40%	S:14 / 35%	S:14 / 28%	S:22 / 40%
2.8mm木集板	S:8 / 42%	S:8 / 40%	S:10 / 40%	S:12 / 35%	S:12 / 28%	S:20 / 40%
2.85mm植纖板	S:8 / 42%	S:8 / 40%	S:10 / 40%	S:12 / 35%	S:12 / 28%	S:20 / 40%
4.75mm植纖板		S:7 / 55%	S:7 / 50%	S:7 / 48%	S:9 / 45%	S:14 / 45%
1.5mm飛機木	S:18 / 43%	S:24 / 43%	S:24 / 41%	S:30 / 35%	S:30 / 33%	S:60 / 35%
2mm飛機木	S:18 / 43%	S:24 / 43%	S:24 / 41%	S:30 / 35%	S:30 / 33%	S:60 / 35%
3mm飛機木	S:18 / 43%	S:24 / 43%	S:24 / 41%	S:30 / 35%	S:30 / 33%	S:60 / 35%
4mm飛機木	S:15 / 43%	S:21 / 43%	S:21 / 41%	S:27 / 35%	S:27 / 33%	S:57 / 35%
5mm飛機木	S:6 / 43%	S:8 / 43%	S:8 / 41%	S:10 / 35%	S:10 / 33%	S:20 / 35%
3mm楓木實木		S:17 / 40%	S:17 / 37%	S:20 / 36%	S:20 / 34%	S:30 / 36%
5mm楓木實木		S:7 / 50%	S:7 / 47%	S:10 / 46%	S:10 / 44%	S:20 / 46%
5mm胡桃實木		S:6 / 50%	S:6 / 47%	S:8 / 45%	S:8 / 43%	S:18 / 43%
5mm樺木實木		S:7 / 50%	S:7 / 47%	S:10 / 45%	S:10 / 43%	S:20 / 43%
5mm台灣檜木實木	S:6 / 48%	S:8 / 48%	S:8 / 46%	S:10 / 40%	S:10 / 38%	S:20 / 40%
3mm日檜實木	S:6 / 45%	S:8 / 45%	S:8 / 43%	S:10 / 37%	S:10 / 35%	S:20 / 37%
5mm日檜實木	S:6 / 48%	S:8 / 48%	S:8 / 46%	S:10 / 40%	S:10 / 38%	S:20 / 40%
5mm美檜實木	S:6 / 48%	S:8 / 48%	S:8 / 46%	S:10 / 40%	S:10 / 38%	S:20 / 40%

5mm柚木實木		S:8 / 48%	S:8 / 46%	S:10 / 48%	S:10 / 45%	S:20 / 48%
3mm山毛櫸實木		S:10 / 48%	S:10 / 46%	S:12 / 46%	S:12 / 43%	S:22 / 45%
5mm山毛櫸實木		S:8 / 48%	S:8 / 46%	S:10 / 46%	S:10 / 43%	S:20 / 45%
3mm相思木實木	S:8 / 40%	S:8 / 35%	S:9 / 35%	S:11 / 33%	S:13 / 33%	S:25 / 40%
5mm相思木實木	S:5 / 40%	S:5 / 35%	S:6 / 35%	S:9 / 33%	S:10 / 33%	S:21 / 40%
5mm花梨木實木		S:5 / 48%	S:5 / 46%	S:7 / 46%	S:7 / 43%	S:15 / 45%
4mm紅檀香實木		S:8 / 48%	S:8 / 46%	S:10 / 48%	S:10 / 45%	S:20 / 48%
2mm竹片層積材		S:16 / 38%	S:16 / 36%	S:20 / 38%	S:20 / 35%	S:40 / 38%
5mm竹片層積材		S:8 / 48%	S:8 / 46%	S:10 / 48%	S:10 / 45%	S:20 / 48%
3mm雲杉實木	S:10 / 40%	S:10 / 35%	S:11 / 35%	S:13 / 33%	S:15 / 33%	S:30 / 40%
5mm紅橡實木			S:7 / 50%	S:10 / 50%	S:10 / 47%	S:20 / 48%
5mm亞杉實木	S:6 / 48%	S:8 / 48%	S:8 / 46%	S:10 / 40%	S:10 / 38%	S:20 / 40%
5mm香杉實木	S:6 / 48%	S:8 / 48%	S:8 / 46%	S:10 / 40%	S:10 / 38%	S:20 / 40%
5mm松木實木/拼板	S:6 / 48%	S:8 / 48%	S:8 / 46%	S:10 / 48%	S:10 / 45%	S:20 / 45%
8mm松木實木/拼板				S:8 / 54%	S:8 / 50%	S:15 / 48%
12mm松木實木/拼板						S:8 / 70%
18mm松木實木/拼板						S:3 / 70%
1.5mm壓克力	S:8 / 38%	S:9 / 38%	S:9 / 38%	S:10 / 40%	S:10 / 32%	S:30 / 38%
2mm壓克力	S:8 / 40%	S:9 / 40%	S:9 / 40%	S:10 / 42%	S:10 / 34%	S:30 / 40%
3mm壓克力	S:8 / 48%	S:9 / 48%	S:9 / 48%	S:10 / 45%	S:10 / 36%	S:30 / 40%
5mm壓克力			S:7 / 53%	S:8 / 53%	S:8 / 45%	S:18 / 55%
10mm壓克力			S:2 / 63%	S:3 / 63%	S:3 / 55%	S:13 / 65%
1.3mmABS板	S:8 / 30%	S:9 / 30%	S:9 / 30%	S:10 / 32%	S:10 / 24%	S:30 / 30%
2.3mm橡膠板		S:8 / 48%	S:8 / 46%	S:10 / 48%	S:10 / 45%	S:20 / 48%
1mm牛皮革	S:6 / 43%	S:8 / 43%	S:8 / 41%	S:10 / 35%	S:10 / 33%	S:20 / 35%
3mm軟木片	S:6 / 38%	S:8 / 38%	S:8 / 36%	S:10 / 30%	S:10 / 28%	S:20 / 30%

